

TABLE 1. Treatment of Chlamydia Infections Among Wisconsin Females Attending Family Planning, STD, and Dual-Protection Clinics, 2014

Jurisdiction of Client Provider Type	# Cases Reported	Cases Treated		Appropriate Regimen						
		#	%	Total Appropriate		Same Day		Within 14 Days		Within 30 Days
				#	%	#	%	#	%	#
Milwaukee County	1,493	1,263	84.6%	1,257	84.2%	308	20.6%	1,088	72.9%	1,218
Family Planning	1,262	1,059	83.9%	1,053	83.4%	247	19.6%	909	72.0%	1,021
STD	231	204	88.3%	204	88.3%	61	26.4%	179	77.5%	197
Dual Protection	0									
Other Wisconsin Counties	1,710	1,615	94.4%	1,610	94.2%	491	28.7%	1,458	85.3%	1,561
Family Planning	1,628	1,539	94.5%	1,534	94.2%	460	28.3%	1,384	85.0%	1,485
STD	65	60	92.3%	60	92.3%	20	30.8%	58	89.2%	60
Dual Protection	17	16	94.1%	16	94.1%	11	64.7%	16	94.1%	16
All Wisconsin Counties	3,203	2,878	89.9%	2,867	89.5%	799	24.9%	2,546	79.5%	2,779
Family Planning	2,890	2,598	89.9%	2,587	89.5%	707	24.5%	2,293	79.3%	2,506
STD	296	264	89.2%	264	89.2%	81	27.4%	237	80.1%	257
Dual Protection	17	16	94.1%	16	94.1%	11	64.7%	16	94.1%	16

---

---

30 Days

%

---

81.6%

80.9%

85.3%

91.3%

91.2%

92.3%

94.1%

86.8%

86.7%

86.8%

94.1%

---